

6210



SOFT SERVE FREEZER

Single flavor, Countertop, Gravity feed,
Microprocessor control

Product Offering

Offer all popular soft serve variations from low or non-fat ice cream to custards, yogurt and sorbet.

Freezing Cylinder

One, 1.3 quarts (1.2 Liter)

Mix Hopper

One, 8.5 quarts (8 Liters)

Hopper refrigeration maintains mix temperature
Below 40°F (4.4°C) during Cool

Mix Low Indicator

When mix level is low, the Mix Low light turns "ON"
to alert operator to add mix.

Output

13 Quarts/Hour

Safety Protections



- High pressure switch prevents compressor overheat
- Thermal overload protects from motor overheat



Model 6210



Model 6210



Weight	lb/Kg
Net	193 / 87
Shipping	220 / 99

Packaging Volume	10.13 CBF / 0.29 CBM
-------------------------	----------------------

Dimensions	Net (in/mm)	Shipping (in/mm)
Width	15 / 384	22 / 550
Depth	26 / 649	28 / 720
Height	27 / 691	34 / 870

Electical	Maximum Fuse Size	Min. Circuit Ampacity	Poles (P) Wires (W)
110-115/60/1	20	14	2P/3W

PLUG

L5-20

This unit may be manufactured in other electrical characteristics. Refer to the local Distributor for availability.

(For exact electrical information, always refer to the data label of the unit.)

Note

Continuing research results in steady improvements; therefore these specifications are subject to change without notice.

Specifications

Electrical

One dedicated electrical connection is required. Unit shall be cord connected or permanently connected. Consult your local Spaceman distributor for available cord receptacle specifications as per local codes.

Motor

One, 0.8HP

Refrigeration System

Compressor: One 2,450 BTU/HR, R404A (BTUs may vary depending on compressor used.)

Air Cooled

Minimum clearance of 6" (152mm) on both sides of the machine is required to achieve optimum performance.

The rear of the unit may be placed against a wall. Max room temperature 95° F

Options:

- Air Exhaust Kit
- Local language Control Systems: English, French, Spanish, German, Dutch, Czech, Chinese